FRET HRV-3C substrate

Datasheet, Version 2/2016

protean
Forefront of Biotechnology

Catalog #	2614
Synonyms	Prescission fluorescent substrate
Type	Recombinant
Source	E. coli
Species	Human
Tag	His6
Form	Liquid
Purity	>95% by SDS PAGE
Shipping	Ice pack



Introduction

Substrate protein for quantitative determination and monitoring of human rhinovirus 3C (HRV-3C, Prescission) protease specific activity based on fluorescent energy transfer (FRET). Suitable for high-throughput applications.

Description

The 54 kDa FRET substrate protein is composed by two fluorescent proteins linked with HRV-3C recognition sequence LEVLFQ|GP. The substrate is specifically cleaved to fluorescent monomers, which results in quantitative decrease of fluorescent intensity at 580-650 nm (emission). The excitation range of the substrate is 490-515 nm.

Application

Protease activity control and monitoring. High-throughput screening of Prescission (HRV-3C) protease variants. This substrate is manufactured in certified laboratory environment and could be used in GMP certified downstream processes.

Purification method

Affinity chromatography, size exclusion chromatography, desalting.

Formulation

0.5 mg/ml, 10mM Tris pH7,5, 50mM KCl

Specificity

HRV-3C protease recognition sequence.

Storage

For long term -80C, otherwise -20C, aliquot to avoid repeated freezing and thawing.

Analyte specific reagent (ASR) manufactured under ISO 13485.
Country of origin: Czech Republic

Protean s.r.o.
Pod Lesem 9
373 16 Dobra Voda u CB
The Czech Republic

ISO 9001 & ISO 13485
CERTIFIED

www.protean.bio
info@protean.bio
+420 380 120 427